

# DOM

od temeljev



do strehe



---

**Kaldom d.o.o.**

*Kaldom d.o.o.*

Strešne kritine



pe=image,width=19.3085,height=23.805i ĸ ½i ĸ ½i ĸ ½q

54.73 0 0 67.48 28.35

528.35 cm /l3 Do Q

[OpeÄ•na](#)

type=image,width=22.4825,height=23.805  
63.73 0 0 67.48 28.35  
528.35 cm /I4 Do Q  
[Vlaknocementne ESAL](#)

type=image,width=23.805,height=19.3085  
67.48 0 0 54.73 28.35  
541.09 cm /I5 Do Q  
[Betonska Bramac](#)

ï¿½ï¿½ï¿½type=image,width=21.4245,height=23.276

60.73 0 0 65.98 28.35

529.85 cm /I6 Do Q

[Betonske Polak](#)

pe=image,width=23.805,height=19.8375i;½i;½i;½q

67.48 0 0 56.23 28.35

539.59 cm /17 Do Q

[Bitumenske Onduline](#)

type=image,width=23.805,height=14.812

67.48 0 0 41.99 28.35

553.84 cm /l8 Do Q

[Tegola Canadese](#)

type=image,width=23.805,height=23.0115

67.48 0 0 65.23 28.35

530.60 cm /I9 Do Q

[Sekundarne kritine](#)