

DOM

od temeljev



do strehe



Kaldom d.o.o.

Kaldom d.o.o.

Veziva, malte, lepila _



pe=image,width=15.6055,height=23.805i ĸ ½ ĸ ½ ĸ ½ q

44.24 0 0 67.48 28.35

528.35 cm /13 Do Q

Cement

type=image,width=23.805,height=17.1925

67.48 0 0 48.73 28.35

547.09 cm /14 Do Q

[Apno](#)

ï¿½ï¿½ï¿½type=image,width=23.805,height=23.805ï¿½ï¿½ï¿½q

67.48 0 0 67.48 28.35

528.35 cm /15 Do Q

[Dodatki betonom in
maltam](#)

ï¿½ï¿½ï¿½type=image,width=16.928,height=23.805

47.98 0 0 67.48 28.35

528.35 cm /16 Do Q

[Lepila](#)

pe=image,width=23.805,height=20.3665i ĸ ½ ĸ ½ ĸ ½ q

67.48 0 0 57.73 28.35

538.09 cm /17 Do Q

[Fugirne mase](#)

type=image,width=23.805,height=15.341

67.48 0 0 43.49 28.35

552.34 cm /l8 Do Q

[Tesnilne mase in kiti](#)

type=image,width=23.805,height=15.341

67.48 0 0 43.49 28.35

552.34 cm /I9 Do Q

[Malte za sanacijo in
zaĀĀito betona](#)

ï¿½ï¿½ï¿½ï¿½type=image,width=23.805,height=15.341

67.48 0 0 43.49 28.35

552.34 cm /110 Do Q

[Sanirni ometi](#)

pe=image,width=23.805,height=15.341i½i½i½q

67.48 0 0 43.49 28.35

552.34 cm /l11 Do Q

[Izravnalne mase in tlaki](#)

ï½ï½ï½type=image,width=15.87,height=23.805ï½ï½ï½q
44.99 0 0 67.48 28.35
528.35 cm /I12 Do Q
[Malte in ometi](#)

type=image,width=23.805,height=15.341

67.48 0 0 43.49 28.35

552.34 cm /113 Do Q

[Kremenovi peski v
vreÄ•ah](#)